L Number	Hits	Search Text	DB	Time stamp
1			USPAT;	2004/06/09 16:20
1	5027	365/198.ccis. or 365/185.33.ccis. or 365/189.07.ccls. or 365/218.ccls. or	US-PGPUB;	2007/00/03 10:20
		365/221.ccls. or 365/236.ccls. or	EPO; JPO;	
		365/238.5.ccls. or 365/239.ccls.	DERWENT;	1
		711 /102 1 711 /167 1-	IBM_TDB	2004/05/00 15 27
2	2203	711/103.ccls. or 711/167.ccls.	USPAT;	2004/06/09 16:37
			US-PGPUB;	1
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
3	481	717/168.ccls. or 717/174.ccls.	USPAT;	2004/06/09 16:40
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	i '
4	148	712/37.ccls.	USPAT;	2004/06/09 16:40
		,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	İ
			IBM TDB	
5	313	710/35.ccls. or 710/32.ccls.	USPAT;	2004/06/09 16:41
,	313	1.10,00.0018. 01 /10/02.0018.	US-PGPUB;	2004,00,03 16:41
			EPO; JPO;	
			DERWENT;	
_		500/005 000	IBM_TDB	
6	69	709/227-228	USPAT;	2004/06/09 16:42
			US-PGPUB;	
			EPO; JPO;	
•			DERWENT;	
			IBM_TDB	
7	7994	' '	USPAT;	2004/06/09 16:42
		365/189.07.ccls. or 365/218.ccls. or	US-PGPUB;	
		365/221.ccls. or 365/236.ccls. or	EPO; JPO;	
		365/238.5.ccls. or 365/239.ccls.) or	DERWENT;	
		(711/103.ccls. or 711/167.ccls.) or	IBM_TDB	
		(717/168.ccls. or 717/174.ccls.) or		
		712/37.ccls. or (710/35.ccls. or		
		710/32.ccls.) or 709/227-228		
8	14089		USPAT;	2004/06/09 17:33
		(flash\$3 or eeprom or eprom or (non adj1	US-PGPUB;	
		volatile) or rom or prom) same (burst or	EPO; JPO;	
		sequential or serial)	DERWENT;	
			IBM TDB	
9	3626	(burst or serial or sequential) with	USPAT;	2004/06/09 16:45
-	3020	(program\$3 or reprogram\$4 or writ\$3) with	US-PGPUB;	2001,00,00 10.45
		(flash\$3 or eeprom or eprom or (non adj1	EPO; JPO;	
		volatile) or rom or prom)	DERWENT;	
		volucito, of four of prour	IBM TDB	
10	18785	((address\$3 with (compar\$3 or match\$3 or	USPAT;	2004/06/09 16:47
10	10/03	check\$3 or detect\$3)) same (terminat\$4 or	1	2004/06/09 16:4/
		finish\$3 or end\$3))	US-PGPUB;	
		rrurendo or endás!)	EPO; JPO;	
			DERWENT;	
		//	IBM_TDB	0004/05/00 55 15
11	6629	((start\$3 or head\$3 or begin or beginning)	USPAT;	2004/06/09 16:49
		near2 address\$3) with (compar\$3 or match\$3	US-PGPUB;	
		or check\$3 or detect\$3)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
12	71	((burst or serial or sequential) with	USPAT;	2004/06/09 16:49
1		(program\$3 or reprogram\$4 or writ\$3) with	US-PGPUB;	
ļ		(flash\$3 or eeprom or eprom or (non adj1	EPO; JPO;	
ŀ		volatile) or rom or prom)) and (((address\$3	DERWENT;	j l
İ		with (compar\$3 or match\$3 or check\$3 or	IBM TDB	
		detect\$3)) same (terminat\$4 or finish\$3 or		
ļ			1	
1		lendS3))) and (((startS3 or headS3 or begin		
		end\$3))) and (((start\$3 or head\$3 or begin or beginning) near2 address\$3) with		
		or beginning) near2 address\$3) with		

13	20760	I de manuel de manuel de mitter de la la la la la la la la la la la la la	HODAM	12004/06/00 16 53
13	32769	(program\$4 or reprogram\$4 or writ\$3) with (writ\$4 near2 enabl\$5)	USPAT; US-PGPUB; EPO; JPO;	2004/06/09 16:51
			DERWENT; IBM TDB	1
14	26	(((burst or serial or sequential) with	USPAT;	2004/06/09 16:51
		(program\$3 or reprogram\$4 or writ\$3) with (flash\$3 or eeprom or eprom or (non adj1	US-PGPUB; EPO; JPO;	
		volatile) or rom or prom)) and (((address\$3	DERWENT;	
		with (compar\$3 or match\$3 or check\$3 or	IBM_TDB	
		<pre>detect\$3)) same (terminat\$4 or finish\$3 or end\$3))) and (((start\$3 or head\$3 or begin</pre>		
		or beginning) near2 address\$3) with		
		<pre>(compar\$3 or match\$3 or check\$3 or detect\$3))) and ((program\$4 or reprogram\$4 or</pre>		
		writ\$3) with (writ\$4 near2 enabl\$5))		
15	10	<pre>((((burst or serial or sequential) with (program\$3 or reprogram\$4 or writ\$3) with</pre>	USPAT; US-PGPUB;	2004/06/09 16:52
		(flash\$3 or eeprom or eprom or (non adj1	EPO; JPO;	
		volatile) or rom or prom)) and (((address\$3	DERWENT;	
		<pre>with (compar\$3 or match\$3 or check\$3 or detect\$3)) same (terminat\$4 or finish\$3 or</pre>	IBM_TDB	
		end\$3))) and (((start\$3 or head\$3 or begin		
		or beginning) near2 address\$3) with (compar\$3 or match\$3 or check\$3 or detect\$3)		
)) and ((program\$4 or reprogram\$4 or		
		<pre>writ\$3) with (writ\$4 near2 enabl\$5))) and packet</pre>		
16	5	(((((burst or serial or sequential) with	USPAT;	2004/06/09 16:56
		(program\$3 or reprogram\$4 or writ\$3) with (flash\$3 or eeprom or eprom or (non adjl .	US-PGPUB; EPO; JPO;	
		volatile) or rom or prom)) and (((address\$3	DERWENT;	
		<pre>with (compar\$3 or match\$3 or check\$3 or detect\$3)) same (terminat\$4 or finish\$3 or</pre>	IBM_TDB	
		end\$3))) and (((start\$3 or head\$3 or begin		
		or beginning) near2 address\$3) with (compar\$3 or match\$3 or check\$3 or detect\$3)		
)) and ((program\$4 or reprogram\$4 or		
		writ\$3) with (writ\$4 near2 enabl\$5))) and		
		<pre>packet) and (@ad<=19991215 or @rlad<=19991215)</pre>		
17	27	, , ,	USPAT;	2004/06/09 16:56
		(program\$3 or reprogram\$4 or writ\$3) with (flash\$3 or eeprom or eprom or (non adj1	US-PGPUB; EPO; JPO;	
		volatile) or rom or prom)) and (((address\$3	DERWENT;	
		with (compar\$3 or match\$3 or check\$3 or detect\$3)) same (terminat\$4 or finish\$3 or	IBM_TDB	
		end\$3))) and (((start\$3 or head\$3 or begin		
		or beginning) near2 address\$3) with (compar\$3 or match\$3 or check\$3 or detect\$3)		
)) and packet		
18	20	<pre>((((burst or serial or sequential) with (program\$3 or reprogram\$4 or writ\$3) with</pre>	USPAT; US-PGPUB;	2004/06/09 17:04
		(flash\$3 or eeprom or eprom or (non adj1	EPO; JPO;	
		<pre>volatile) or rom or prom)) and (((address\$3 with (compar\$3 or match\$3 or check\$3 or</pre>	DERWENT;	
		detect\$3)) same (terminat\$4 or finish\$3 or	IBM_TDB	;
		end\$3))) and (((start\$3 or head\$3 or begin		
		or beginning) near2 address\$3) with (compar\$3 or match\$3 or check\$3 or detect\$3)		
)) and packet) and (@ad<=19991215 or		
	<u> </u>	@rlad<=19991215)	<u></u>	<u> </u>

19	15	(((((burst or serial or sequential) with	USPAT;	2004/06/09 16:57
		(program\$3 or reprogram\$4 or writ\$3) with	US-PGPUB;	
		(flash\$3 or eeprom or eprom or (non adj1	EPO; JPO;	
		volatile) or rom or prom)) and (((address\$3	DERWENT;	
		with (compar\$3 or match\$3 or check\$3 or	IBM_TDB	
		detect\$3)) same (terminat\$4 or finish\$3 or		
		end\$3))) and (((start\$3 or head\$3 or begin		
1		or beginning) near2 address\$3) with		
		(compar\$3 or match\$3 or check\$3 or detect\$3)		
)) and packet) and (@ad<=19991215 or		1
		@rlad<=19991215)) not (((((burst or serial		
		or sequential) with (program\$3 or		:
		reprogram\$4 or writ\$3) with (flash\$3 or		
		eeprom or eprom or (non adj1 volatile) or		
		rom or prom)) and (((address\$3 with		
		(compar\$3 or match\$3 or check\$3 or		<u> </u>
		detect\$3)) same (terminat\$4 or finish\$3 or		
		end\$3))) and (((start\$3 or head\$3 or begin		
		or beginning) near2 address\$3) with		
		(compar\$3 or match\$3 or check\$3 or detect\$3)		
1)) and ((program\$4 or reprogram\$4 or		
j		writ\$3) with (writ\$4 near2 enabl\$5))) and		
		packet) and (@ad<=19991215 or		
		@rlad<=19991215))		
20	56	(((burst or serial or sequential) with	USPAT;	2004/06/09 17:37
		(program\$3 or reprogram\$4 or writ\$3) with	US-PGPUB;	
		(flash\$3 or eeprom or eprom or (non adj1	EPO; JPO;	
		volatile) or rom or prom)) and (((address\$3	DERWENT;	
		with (compar\$3 or match\$3 or check\$3 or	IBM TDB	
		detect\$3)) same (terminat\$4 or finish\$3 or	-	
		end\$3))) and (((start\$3 or head\$3 or begin		
1		or beginning) near2 address\$3) with		1
		(compar\$3 or match\$3 or check\$3 or detect\$3)		
)) and (@ad<=19991215 or @rlad<=19991215)		
21	36	((((burst or serial or sequential) with	USPAT;	2004/06/09 17:05
		(program\$3 or reprogram\$4 or writ\$3) with	US-PGPUB;	
	!	(flash\$3 or eeprom or eprom or (non adj1	EPO; JPO;	
!	!	volatile) or rom or prom)) and (((address\$3	DERWENT;	
		with (compar\$3 or match\$3 or check\$3 or	IBM TDB	
		detect\$3)) same (terminat\$4 or finish\$3 or] -	
		end\$3))) and (((start\$3 or head\$3 or begin		
		or beginning) near2 address\$3) with		
		(compar\$3 or match\$3 or check\$3 or detect\$3)		
)) and (@ad<=19991215 or @rlad<=19991215))		
		not (((((burst or serial or sequential) with		
		(program\$3 or reprogram\$4 or writ\$3) with		
		(flash\$3 or eeprom or eprom or (non adj1		
		volatile) or rom or prom)) and (((address\$3	1	
		with (compar\$3 or match\$3 or check\$3 or		
		detect\$3)) same (terminat\$4 or finish\$3 or	1	
		end\$3))) and (((start\$3 or head\$3 or begin		
		or beginning) near2 address\$3) with		
		(compar\$3 or match\$3 or check\$3 or detect\$3)		
)) and packet) and (@ad<=19991215 or		
		@rlad<=19991215))		
22	1	,	USPAT	2004/06/09 17:11
23	ī		USPAT	2004/06/09 17:13
24	1		USPAT	2004/06/09 17:13
25	ī		USPAT	2004/06/09 17:13
26	1		USPAT	2004/06/09 17:14
27	1		USPAT	2004/06/09 17:15
28	ī		USPAT	2004/06/09 17:15
29	1		USPAT	2004/06/09 17:18
30	1		USPAT	2004/06/09 17:18
31	6960	(program\$3 or reprogram\$4 or writ\$3) same	USPAT;	2004/06/09 17:34
		(flash\$3 or eeprom or eprom or (non adj1	US-PGPUB;	
ļ		volatile)) same (burst or sequential or	EPO; JPO;	
		serial)	DERWENT;	
		berrar,	IBM TDB	
		1	מעד ווומד ו	i l

			T. T. C. D. T.	2001/05/22 27 27
32	703	(flash\$3 or eeprom or eprom or (non adj1 volatile))) same (burst or (sequential or serial or incre\$7) near5 address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 17:37
33	152	(flash\$3 or eeprom or eprom or (non adj1 volatile))) same (burst or (sequential or serial or incre\$7) near5 address)) and ((365/198.ccls. or 365/185.33.ccls. or 365/189.07.ccls. or 365/218.ccls. or 365/221.ccls. or 365/236.ccls. or 365/238.5.ccls. or 365/239.ccls.) or (711/103.ccls. or 711/167.ccls.) or (717/168.ccls. or 717/174.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 17:37
34	95	712/37.ccls. or (710/35.ccls. or 710/32.ccls.) or 709/227-228) ((((program\$3 or reprogram\$4 or writ\$3) with (flash\$3 or eeprom or eprom or (non adj1 volatile))) same (burst or (sequential or serial or incre\$7) near5 address)) and ((365/198.ccls. or 365/185.33.ccls. or 365/189.07.ccls. or 365/218.ccls. or 365/221.ccls. or 365/236.ccls. or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 17:38
25	21	365/238.5.ccls. or 365/239.ccls.) or (711/103.ccls. or 711/167.ccls.) or (717/168.ccls. or 717/174.ccls.) or 712/37.ccls. or (710/35.ccls. or 710/32.ccls.) or 709/227-228)) and (@ad<=19991215 or @rlad<=19991215)	HCDAT.	2004/06/09 17:39
35	31	with (flash\$3 or eeprom or eprom or (non adj1 volatile))) same (burst or (sequential or serial or incre\$7) near5 address)) and ((365/198.ccls. or 365/185.33.ccls. or 365/189.07.ccls. or 365/218.ccls. or 365/221.ccls. or 365/236.ccls. or 365/238.5.ccls. or 365/239.ccls.) or (711/103.ccls. or 711/167.ccls.) or (717/168.ccls. or 717/174.ccls.) or 712/37.ccls. or (710/35.ccls. or 710/32.ccls.) or 709/227-228)) and (@ad<=19991215 or @rlad<=19991215)) and (write near4 enabl\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
36	73	· ·	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/09 17:59
37	9	<pre>(larsen-peter\$.in. or dover-lance\$.in.) and ((program\$4 or reprogram\$4) with (command or mode or instruction))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 18:00